

TECHNICAL DATA SHEET

A-A-59601E Type III ACS Grade

ACS Grade

CAS NUMBER	ALLIANCE CODE	GENERATED
64742-47-8	a-a-59601e-type-iii-acs-grade	2026-07-17

1. IDENTITY & COMPOSITION

PRODUCT NAME	ALLIANCE CODE
A-A-59601E Type III ACS Grade	a-a-59601e-type-iii-acs-grade
GRADE	CONCENTRATION
ACS Grade	—
CAS NUMBER	FORMULA
64742-47-8 Adjudicated	Mixture Adjudicated
MOLECULAR WEIGHT	PRODUCT TYPE
Varies Adjudicated	pure_substance

AVAILABLE GRADES SAME CAS, ALTERNATE GRADES AND CONCENTRATIONS

GRADE	CONCENTRATION	TYPICAL ASSAY	SKU
THIS GRADE ACS Grade	—	—	current
—	—	—	a-a-59601e-type-iii

Typical assay shown is the rolling-window mean from the sibling product's most recent lots. Grade selection drives downstream end-use — verify the sibling grade matches your specification before substitution.

PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE

Clear, colorless liquid [Product record](#)

PH

Not applicable (non-aqueous) [Product record](#)

DENSITY

~0.79 g/mL at 15 °C [Product record](#)

MELTING POINT

Not applicable [Product record](#)

VAPOR PRESSURE

<1 mmHg at 20 °C [Product record](#)

ODOR

Mild petroleum / hydrocarbon odor
[Product record](#)

SPECIFIC GRAVITY (20 °C)

~0.79 [Product record](#)

BOILING POINT

~176–210 °C (petroleum distillate range)
[Product record](#)

FLASH POINT

64–67 °C (147–153 °F), closed cup —
combustible liquid [Product record](#)

SOLUBILITY (WATER)

Insoluble in water [Product record](#)

REGULATORY & TRANSPORT

DOT / 49 CFR

UN NUMBER

UN1268 **Adjudicated**

PACKING GROUP

III **Adjudicated**

HAZARD CLASS

3 **Adjudicated**

PROPER SHIPPING NAME

Petroleum distillates, n.o.s. (Stoddard solvent)
Adjudicated

GHS / OSHA HAZCOM 2012

SIGNAL WORD

Danger **Adjudicated**

H-CODES (HAZARD STATEMENTS)

H227, H304, H336 **Adjudicated**

P-CODES (PRECAUTIONARY STATEMENTS)

P210, P260, P264, P271, P280, P301+P310,
P304+P340, P312, P331, P403+P233, P405, P501

Adjudicated

OCCUPATIONAL EXPOSURE LIMITS

OSHA PEL (29 CFR 1910.1000)

— **unknown**

ACGIH TLV

— **unknown**

NIOSH REL

— **unknown**

NIOSH IDLH

— **unknown**

Transport descriptions reflect 49 CFR 172.101 lookup at time of publication. Sourced data: ECHA CLP Annex VI for harmonised classifications, NIOSH Pocket Guide for REL/IDLH, OSHA Z-Tables for PEL. Always verify against the latest regulatory text before shipment-critical decisions.

Supplier Qualification Packet

One zipped download containing the TDS, SDS, latest lot COA (when available), and a fresh Letter of Continuing Guaranty for A-A-59601E Type III ACS Grade. Every file included is SHA-256 hashed and listed in a manifest your QA team can audit.

APPLICATION GUIDANCE

A-A-59601E Type III ACS Grade (ACS Grade) application guidance is available on request. Contact Alliance Chemical Technical Services for grade-specific use recommendations.

STORAGE & HANDLING

RECOMMENDED STORAGE

Cool, dry, well-ventilated area in original sealed containers. Refer to product SDS for material-specific guidance.

INCOMPATIBILITIES

Consult the SDS for material-specific incompatibilities.

HANDLING PRECAUTIONS

Use standard chemical PPE — splash goggles, gloves, lab coat. Refer to SDS for hazard-specific PPE requirements.

SHELF LIFE

24 months from date of manufacture in sealed, original packaging

For full hazard, PPE, and emergency response guidance, refer to the Safety Data Sheet (SDS) for this product. The SDS controls in all cases where guidance differs.

PACKAGING & LOGISTICS

SHIPPING DESCRIPTION (US DOT)

UN1268, Petroleum distillates, n.o.s. (Stoddard solvent), 3, PG III

Sourced from 49 CFR 172.101. Confirm against shipping documents and carrier requirements before tender.

NMFC CLASS
77.5

PLACARD
Flammable Liquid

PACKING GROUP
PG III

REVISION HISTORY

Last reviewed 2026-05-20 by Hossein Taki, Vice President (Vice President, Alliance Chemical · CAGE Code 1LT50 · DOT Hazmat Registrant #2188383).

VERSION	DATE	CHANGE	TRIGGER
1.0	2026-05-20	Initial URL—first TDS published from canonical chemistry registry.	initial

This Technical Data Sheet is provided for technical reference. The Safety Data Sheet (SDS) controls in all cases where guidance differs. Values reflect Alliance Chemical canonical data at time of generation; subsequent revisions are recorded in the Revision History above.

ALLIANCE CHEMICAL

Order A-A-59601E Type III ACS Grade

Bulk & packaged sizes · COA/SDS ships with every order