

TECHNICAL DATA SHEET

Sodium Metabisulfite - ACS Grade

ACS Grade

CAS NUMBER

7681-57-4

ALLIANCE CODE

sodium-metabisulfite-acs-grade

GENERATED

2026-07-17

1. IDENTITY & COMPOSITION

PRODUCT NAME

Sodium Metabisulfite - ACS Grade

ALLIANCE CODE

sodium-metabisulfite-acs-grade

GRADE

ACS Grade

CONCENTRATION

—

CAS NUMBER

7681-57-4 PubChem

FORMULA

Na2O5S2 PubChem

MOLECULAR WEIGHT

190.11 PubChem

PRODUCT TYPE

pure_substance

AVAILABLE GRADES SAME CAS, ALTERNATE GRADES AND CONCENTRATIONS

GRADE	CONCENTRATION	TYPICAL ASSAY	SKU
THIS GRADE ACS Grade	—		— current
Food Grade	—		— sodium-metabisulfite-food-grade
Technical Grade	—		— sodium-metabisulfite-technical-grade

Typical assay shown is the rolling-window mean from the sibling product's most recent lots. Grade selection drives downstream end-use — verify the sibling grade matches your specification before substitution.

PHYSICAL & CHEMICAL PROPERTIES

One or more physical-property values are temporarily suppressed pending verification against vendor COA data. For complete properties refer to the Safety Data Sheet (SDS) or contact sales@alliancechemical.com.

ODOR
In the presences of traces of water, it develops an odor of sulfur dioxide **Product record**

BOILING POINT
Decomposes (NIOSH, 2024) **Product record**

DENSITY
1.4 (NIOSH, 2024) – Denser than water; will sink **Product record**

MELTING POINT
greater than 302 °F (Decomposes) (NIOSH, 2024) **Product record**

REGULATORY & TRANSPORT

DOT / 49 CFR

UN NUMBER
Not regulated **Adjudicated**

PACKING GROUP
Not regulated **Adjudicated**

HAZARD CLASS
Not regulated **Adjudicated**

PROPER SHIPPING NAME
Not regulated **Adjudicated**

GHS / OSHA HAZCOM 2012

SIGNAL WORD
Danger **Adjudicated**

P-CODES (PRECAUTIONARY STATEMENTS)
P264, P270, P280, P301+P312, P305+P351+P338, P313, P330, P501 **Adjudicated**

H-CODES (HAZARD STATEMENTS)
H302, H318 **Adjudicated**

OCCUPATIONAL EXPOSURE LIMITS

OSHA PEL (29 CFR 1910.1000)
— **unknown**

NIOSH REL
— **unknown**

ACGIH TLV
— **unknown**

NIOSH IDLH
— **unknown**

Transport descriptions reflect 49 CFR 172.101 lookup at time of publication. Sourced data: ECHA CLP Annex VI for harmonised classifications, NIOSH Pocket Guide for REL/IDLH, OSHA Z-Tables for PEL. Always verify against the latest regulatory text before shipment-critical decisions.

Supplier Qualification Packet

One zipped download containing the TDS, SDS, latest lot COA (when available), and a fresh Letter of Continuing Guaranty for Sodium Metabisulfite – ACS Grade. Every file included is SHA-256 hashed and listed in a manifest your QA team can audit.

APPLICATION GUIDANCE

Sodium Metabisulfite – ACS Grade (ACS Grade) application guidance is available on request. Contact Alliance Chemical Technical Services for grade-specific use recommendations.

STORAGE & HANDLING

RECOMMENDED STORAGE

Cool, dry, well-ventilated area in original sealed containers. Refer to product SDS for material-specific guidance.

INCOMPATIBILITIES

Consult the SDS for material-specific incompatibilities.

HANDLING PRECAUTIONS

Use standard chemical PPE — splash goggles, gloves, lab coat. Refer to SDS for hazard-specific PPE requirements.

SHELF LIFE

24 months from date of manufacture in sealed, original packaging

For full hazard, PPE, and emergency response guidance, refer to the Safety Data Sheet (SDS) for this product. The SDS controls in all cases where guidance differs.

REVISION HISTORY

Last reviewed 2026-05-20 by Hossein Taki, Vice President (Vice President, Alliance Chemical · CAGE Code 1LT50 · DOT Hazmat Registrant #2188383).

VERSION	DATE	CHANGE	TRIGGER
1.0	2026-05-20	Initial URL-first TDS published from canonical chemistry registry.	initial

This Technical Data Sheet is provided for technical reference. The Safety Data Sheet (SDS) controls in all cases where guidance differs. Values reflect Alliance Chemical canonical data at time of generation; subsequent revisions are recorded in the Revision History above.

ALLIANCE CHEMICAL

Order Sodium Metabisulfite – ACS Grade

Bulk & packaged sizes · COA/SDS ships with every order