

TECHNICAL DATA SHEET

Trichloroethylene (TCE) Technical Grade

Technical Grade

CAS NUMBER	ALLIANCE CODE	GENERATED
79-01-6	trichloroethylene-tce-technical-grade	2026-07-17

1. IDENTITY & COMPOSITION

PRODUCT NAME	ALLIANCE CODE
Trichloroethylene (TCE) Technical Grade	trichloroethylene-tce-technical-grade
GRADE	CONCENTRATION
Technical Grade	—
CAS NUMBER	FORMULA
79-01-6 PubChem	C2HCl3 PubChem
MOLECULAR WEIGHT	PRODUCT TYPE
131.38 PubChem	pure_substance

AVAILABLE GRADES SAME CAS, ALTERNATE GRADES AND CONCENTRATIONS

GRADE	CONCENTRATION	TYPICAL ASSAY	SKU
THIS GRADE Technical Grade	—	—	current
ACS Grade	—	—	trichloroethylene-tce-ac-grade

Typical assay shown is the rolling-window mean from the sibling product's most recent lots. Grade selection drives downstream end-use — verify the sibling grade matches your specification before substitution.

PHYSICAL & CHEMICAL PROPERTIES

One or more physical-property values are temporarily suppressed pending verification against vendor COA data. For complete properties refer to the Safety Data Sheet (SDS) or contact sales@alliancechemical.com.

FORM

Liquid [Product record](#)

DENSITY

1.46 at 68 °F (USCG, 1999) – Denser than water; will sink [Product record](#)

MELTING POINT

–99 °F (NTP, 1992) [Product record](#)

VAPOR PRESSURE

60 mmHg at 68 °F ; 77 mmHg at 77 °F (NTP, 1992) [Product record](#)

ODOR

Ethereal odor [Product record](#)

BOILING POINT

189 °F at 760 mmHg (NTP, 1992) [Product record](#)

FLASH POINT

greater than 200 °F (NTP, 1992) [Product record](#)

SOLUBILITY (WATER)

less than 1 mg/mL at 70 °F (NTP, 1992) [Product record](#)

REGULATORY & TRANSPORT

DOT / 49 CFR

UN NUMBER

UN1710 **Adjudicated**

PACKING GROUP

III **Adjudicated**

HAZARD CLASS

6.1 **Adjudicated**

PROPER SHIPPING NAME

TRICHLOROETHYLENE **Adjudicated**

GHS / OSHA HAZCOM 2012

SIGNAL WORD

Danger **Adjudicated**

H-CODES (HAZARD STATEMENTS)

H315, H317, H319, H336, H341, H350, H412

Adjudicated

P-CODES (PRECAUTIONARY STATEMENTS)

P201, P202, P261, P264, P271, P272, P273, P280,
P281, P302+P352, P305+P351+P338, P308+P313,
P312, P321, P332+P313, P333+P313, P337+P313,...

OCCUPATIONAL EXPOSURE LIMITS

OSHA PEL (29 CFR 1910.1000)

100 ppm TWA / 200 ppm acceptable ceiling /
300 ppm 5-min peak **OSHA 29 CFR 1910.1000**

ACGIH TLV

— **unknown**

NIOSH REL

Ca (carcinogen — minimize occupational
exposure) **NIOSH Pocket Guide**

NIOSH IDLH

1000 ppm **NIOSH Pocket Guide**

Transport descriptions reflect 49 CFR 172.101 lookup at time of publication. Sourced data: ECHA CLP Annex VI for harmonised classifications, NIOSH Pocket Guide for REL/IDLH, OSHA Z-Tables for PEL. Always verify against the latest regulatory text before shipment-critical decisions.

Supplier Qualification Packet

One zipped download containing the TDS, SDS, latest lot COA (when available), and a fresh Letter of Continuing Guaranty for Trichloroethylene (TCE) Technical Grade. Every file included is SHA-256 hashed and listed in a manifest your QA team can audit.

APPLICATION GUIDANCE

Trichloroethylene (TCE) Technical Grade (Technical Grade) application guidance is available on request. Contact Alliance Chemical Technical Services for grade-specific use recommendations.

STORAGE & HANDLING

RECOMMENDED STORAGE

Cool, dry, well-ventilated area in original sealed containers. Refer to product SDS for material-specific guidance.

INCOMPATIBILITIES

Consult the SDS for material-specific incompatibilities.

HANDLING PRECAUTIONS

Use standard chemical PPE — splash goggles, gloves, lab coat. Refer to SDS for hazard-specific PPE requirements.

SHELF LIFE

24 months from date of manufacture in sealed, original packaging

For full hazard, PPE, and emergency response guidance, refer to the Safety Data Sheet (SDS) for this product. The SDS controls in all cases where guidance differs.

PACKAGING & LOGISTICS

SHIPPING DESCRIPTION (US DOT)

UN1710, TRICHLOROETHYLENE, 6.1, PG III

Sourced from 49 CFR 172.101. Confirm against shipping documents and carrier requirements before tender.

NMFC CLASS 70	PLACARD Toxic	PACKING GROUP PG III
------------------	------------------	-------------------------

REVISION HISTORY

Last reviewed 2026-05-20 by Hossein Taki, Vice President (Vice President, Alliance Chemical · CAGE Code 1LT50 · DOT Hazmat Registrant #2188383).

VERSION	DATE	CHANGE	TRIGGER
1.0	2026-05-20	Initial URL—first TDS published from canonical chemistry registry.	initial

This Technical Data Sheet is provided for technical reference. The Safety Data Sheet (SDS) controls in all cases where guidance differs. Values reflect Alliance Chemical canonical data at time of generation; subsequent revisions are recorded in the Revision History above.

ALLIANCE CHEMICAL

Order Trichloroethylene (TCE) Technical Grade

Bulk & packaged sizes · COA/SDS ships with every order